

# X# Version history

*Note: When an item has a matching GitHub ticket then the ticket number is behind the item in parentheses prefixed with #. You can find these tickets by going to:*

*<https://github.com/X-Sharp/XSharpPublic/issues/nnn> where **nnn** is the ticket number.*

*If you find an issue in X# we recommend that you report it on GitHub. You will be notified of the progress on the work on your issue and the ticket number will be included in the documentation of new builds from now on (April 2021)*

*This document lists the changes to X# since build 2.8. For a complete list of changes that were made in earlier builds, please have a look at the help file.*

## Changes in 2.11.0.1

### Compiler

#### Bug fixes

- Fixed an internal compiler error with CLIPPER calling convention delegates (#932)
- Fixed an AccessViolationException at runtime with the Null-conditional operator ?. on a usual property (#770)
- [XBase++ dialect] Fixed a problem with parsing method declarations with parentheses (#927)
- [XBase++ dialect] Fixed a problem with parsing the (obsolete in X#) ANNOUNCE and REQUEST statements (#929)
- [XBase++ dialect] Fixed a problem with parsing INLINE ACCESS and ACCESS ASSIGN statements (#926)
- [VFP dialect] Fixed a problem with parsing FOR EACH statements containing "M." variables usage where the variable was not typed in the FOR EACH line (#911) .
- Fixed a problem where the PPO files contains some output twice, when a single UDC was producing several statements (#933)
- Fixed some issues with the "FIELDS" clause in several UDCs (#931, #795)
- Fixed a problem in the preprocessor with parentheses in #xtranslate directives (#963)
- Fixed several more issues with #command and #translate directives (#915)
- In some cases, the compiler would emit code that does not throw a runtime exception, when casting/converting from one type to an incompatible one. This has been fixed (#961, #984)
- The compiler was not reporting narrowing conversion warnings in several cases, this has been fixed (#951)
- The compiler was not reporting signed/unsigned conversion warnings. This has been fixed (#971)
- Fixed a problem that could lead to the "Could not emit module" error message, caused by NULL values inside IIF() expressions(#989)

#### New features

- Added compiler option /noinit to not generate \$!init calls for libraries without INIT procedures for the sake of postponed loading (#854)
- Added preprocessor support for #stdout and #if. (#912)
- The full contents of #include files is now written to the ppo file (#920)
- When a parser error occurs because an identifier was replaced by a define with the same name,

then the compiler will now generate a second warning.

- If a header file contains actual code and this code is called during debugging then the debugger will now step into the header file when debugging this code. Previously all statements were linked to the #include line from the place where the header was included. (#967)
- When you are suppressing compiler errors with the /vo11 (Compatible numeric conversion) compiler option you will now see a XS9020 "narrowing" warning indicating that a runtime error may happen or that data may be lost.

## Visual Studio Integration

### New features

- The source code editor now also supports the new #if and #stdout preprocessor commands (#912)
- There is new "Lightbulb" option to generate constructors for classes.

### Bug Fixes

- Fixed a problem with specifying custom preprocessor defines in the project properties (#909)
- The VO-style editors now retain existing "CLIPPER" clause to methods/constructors when generating code (#913)
- Fixed incorrect parsing of classes as nested to each other (#939)
- Fixed a problem with using embedded variables in the form of \$(SomeName) in the project settings (#928)
- Fixed a problem where deleting items from a project would fail.
- Fixed a problem resolving the DLL produced by project files from other development languages, in particular SDK style C# projects (#950)
- Fixed a problem with quick info tooltip after an unrecognized identifier (#894)
- Fixed a problem with the editor incorrectly adding parentheses after auto typing a property (#974)
- Fixed extremely slow editor response when creating a new line after an #endif directive (#970)
- Fixed some intellisense issues with .Net array types (#569)
- Fixed a problem with the DevExpress DocumentManager control at design time (#976)
- Fixed an ArgumentNullException in the Output window when "Show output from" is set to "Extension" (#940)

## Runtime

### New features

- Added a constructor with IEnumerable to the array class (#943)
- Implemented missing functions AdsSetTableTransactionFree() and AdsGetFTSIndexInfo() (#966)
- Moved functions GetRValue(), GetGValue() and GetBValue() from the Win32API library to XSharp.RT, so they can be used by AnyCPU code (#972)
- [VFP dialect] Implemented function APrinters() (#952)
- [VFP dialect] Implemented function GetColor() (#973)
- [VFP dialect] Implemented functions Payment(), FV() and PV() (#964)
- [VFP dialect] Implemented commands MKDIR, RMDIR and CHDIR (#614)

### Bug fixes

- Fixed a problem with the ListView TextColor and TextBackgroundColor ACCESSes in the SDK

(#896)

- Fixed a problem with soft Seek not respecting order scope when to strict key is found (#905)
- Fixed DBUseArea() search logic for files in various folders. Also SetDefault() is no longer initialized with the current directory (for VO compatibility) (#908)
- Fixed problem with creating dbfs with character fields with length > 255 (#917)
- Fixed a problem with the buffered read system in some cases when a dbf was being read, closed, overwritten and then reopened (#968)
- Fixed a VO compatibility problem with how DBSetIndex() changes the active order when opening index files (#958)
- Fixed a problem with db append, copy etc, when both source and destination files have the same structure and include a memo file (#945)
- Fixed an incorrect result of DBOrderInfo(DBOI\_ORDERCOUNT) with a non existing or not open index file (#954)
- [VFP dialect] Added optional parameter to Program( [,|ShowSignature default=.f.] ) (#712)
- [VFP dialect] Fixed several issues with the Type() function (#747, #942)
- [VFP dialect] Fixed a problem with ExecScriptFast() (#823)
- [VFP dialect] Fixed a problem with SQLExec() not putting the record pointer on the first record (#864)
- [VFP dialect] Fixed a problem with SQLExec() with null values (#941)
- [VFP dialect] Fixed a write error in the buffer returned from SqlExec() (#948)
- [VFP dialect] Fixed a problem with the DBFVFP RDD and null columns (#953)
- [VFP dialect] Fixed a problem with SCATTER TO and APPEND FROM ARRAY (#821)

## Typed SDK

- Fixed a problem with the FileName property of standard open dialogs
- Fixed a problem with a FOREACH inside the Menu constructor causing handled exceptions

## RDD

### Bug fixes

- Fixed a problem in the DBFVFP RDD with the calculation of the keysize of nullable keys (#985)

## VOXporter

### Bug fixes

- Fixed incorrectly detecting pointers to functions inside literal strings and comments (#932)

## Changes in 2.10.0.3

## Compiler

### Bug fixes

- Fixed some problems with COPY TO ARRAY command in the FoxPro dialect (#673)
- Fixed a problem with using a System.Decimal type on a SWITCH statement (#725)
- Fixed an internal compiler error with Type() in the FoxPro dialect (#840)
- Fixed a problem with generating XML documentation (#783, #855)
- Prevented a warning from appearing for members of SEALED classes when /vo3 (all members

VIRTUAL) is enabled (#785)

- Fixed problems with assigning and comparing "ARRAY OF <type>" vars to NULL\_ARRAY (#833)
- Fixed some issues with passing arguments by reference with the @ operator and/or using it as the AddressOf operator (#810, #899, #902)
- Fixed a problem resolving parameters passed by reference with the @ operator when the function/method had a parameter of the pointer type (#899, #902)

### **New features**

- Added compiler option (/enforceoverride) to make the OVERRIDE modified mandatory when overriding a parent member (#786, #846)
- The compiler now reports an error when using String2Psz() and Cast2Psz() in a non local context (since such PSZs are being released on exiting the current entity) (#775)
- FUNCTIONS and PROCEDURES now support the ASYNC modifier (#853)
- You can now suppress the automatic generation of the \$Init1() and \$Exit() functions by passing the compiler commandline option /noinit (#854). This is NOT yet supported in the VS Properties dialog
- Added support for the ASTYPE operator also for USUAL vars (#857)
- Allowed specifying AS <type> clause in PUBLIC var declarations (ignored by the compiler, but used by the editor in the future for intellisense) (#853)
- The AS <datatype> OF <classlib> clause is now also supported for several other FoxPro compatible commands, such as PARAMETERS and PUBLIC.
- Since these variables are untyped at runtime by nature, the clause is ignored by the compiler and a warning is shown.

## **Build System**

### **Bug Fixes**

Running MsBuild on a X# WPF project could fail (#879)

## **Visual Studio Integration**

### **New features**

- We have added Visual Studio integration for **VS 2022**
- We have added support for **Package References**
- Now XML comments are automatically inserted in the editor when the user types "///  
Conditions:
  - Cursor must be on a line before the start of an entity
  - Cursor must NOT be before a comment line
- Now the tooltip on a class includes also information about the parent class and implemented interfaces (if any) (#860)
- We have added tooltips, parameter completion etc for the pseudo functions that are built into the compiler, such as PCount() and String2Psz().
- We have added a first version of Lightbulb tips. For now to implement missing interface members and to convert a field to a Property. More implementations and configuration options will follow
- We have added a new dialog to configure source code formatting with visual examples of the effects of the options.
- We have added the ability to log operations of the X# VS integration to the Windows debug window and/or a logfile.

If you are experiencing unexplainable problems we will contact you and tell you how to enable these options, so you can send us a log file that shows what happened before a problem occurred inside

Visual Studio. We have used Serilog for this.

- The Highlight Word feature now is case insensitive and no longer highlights words that are part of a comment, string or inactive editor region
- We have added 'Brace Completion' to the editor

## Bug Fixes

- Fixed some problems with the Format Document command (#552)
- Fixed several issues with Parameter Tooltips (#728, #843)
- Fixed problem with code completion list showing even for not defined vars/identifiers (#793)
- Fixed member completion and parameter tooltips with chained expressions (#838)
- Fixed recognition of type for VAR locals in some cases (#844)
- Fixed member completion and tooltip info problems with VOSTRUCT vars (#851)
- Fixed a problem with ignoring Line Breaks in XML Comments (#858)
- Fixed some WinForms designer problems with CHAR properties (#859)
- Fixed a problem with Goto Definition not working correctly with SUPER() constructor calls (#862)
- Fixed an error with the Rebuild Intellisense Database command, when the solution contains a space in the path (#865)
- Goto Definition for types from external assemblies was failing when there was more than one copy of VS running at the same time.
- Fixed a problem with a VOSTRUCT some times confusing the parser (#868)
- Fixed some more problems with quickinfo and member completion (#870)
- Fixed a problem in the Windows Forms designer (#873)
- Fixed an intellisense problem with ENUMs using no MEMBER keywords (#877)
- Fixed a member completion problem with inherited exception types (#884)
- If an XML topic had sub elements of type <see> or other these were not shown in the editor. This has been fixed (#900)
- Unbalanced braces were sometimes matched in the editor with keywords. This has been fixed (#892)
- Line separators were sometimes flickering. This has been fixed (#792)
- When parsing for local variables we were not processing the include files. This could lead to a situation where a local that was declared in a conditional block (#ifdef SOMEVAR) was not found. This has been fixed. The editor parser now includes the header files and #defines and #undefines found in the code even when parsing a part of the source file (#893)
- #include lines are now included in the fields/members combobox in the editor (when fields are shown). They are also saved to the intellisense database.
- The editor was trying to show QuickInfo tooltips when the cursor was over an inactive preprocessor region (#ifdef). This no longer happens.

## Runtime

### Bug fixes

- Fixed DBFCDX corruption that could happen with simultaneous updates (#585)
- Fixed a problem opening FoxPro tables with indexes on nullable fields (#631)
- The BlobGet() function was returning a LOGIC instead of the actual field value (#681)
- Greatly improved speed of index creation with large number of fields in the index expression (#711)
- Fixed some problems with FieldPutBytes() and FieldGetBytes() (#797)
- DBSeek() with 3rd param (lLast) TRUE had incorrect behavior in some cases (#807)
- Fixed a potential NullreferenceException that could happen when creating indexes (#849)
- Improved indentation in the text produced by the method Error.WrapRawException() (#856)

- Fixed a runtime problem when converting .Net Array <-> USUAL (#876)
- DbInfo() was returning TRUE even when an info enum was not supported.(#886)
- Fixed also a possible DBFNTX corruption problem (#889)
- DbEval() could fail in FoxPro when the codeblock was returning NIL or was VOID (#890)
- Fixed a problem with Softseek and descending indexes.
- Fixed a problem where incorrect scope expressions could lead to unexpected results. Now the server goes to (and stays at) EOF with an incorrect scope.
- Fixed a problem with accessing FoxPro arrays with the parenthesis operators in a macro expression (#805).

Please note that for this to work you have to compile the main program with /fox2

## Changes in 2.9.1.1 (Cahors)

### Compiler

#### Bug fixes

- Fixed a problem introduced in 2.9.0.2 with define symbols not respecting the /cs compiler option in combination with the /vo8 compiler option (#816)
- Fixed an internal compiler error with assignment expressions inside object initializers when the /fox2 compiler option is enabled (#817)
- Fixed some problems with DATES in VOSTRUCTs (#773)
- Fixed a problem in the preprocessor that would occur when using a list rule like `FIELDS <f1> [ , <fn> ]` in the middle of a UDC.
- Fixed a problem compiling UDCs such as `SET CENTURY &cOn` because `cOn` was not parsed as an identifier but as a keyword.

#### New features

- There is a new result marker (the NotEmpty result marker) in the preprocessor that does the same as the regular result marker, but writes a NIL value to the output when the (optional) match marker is not found in the input.

This can be used when you want to make the result a part of an IIF() expression in the output, since the sections inside an IIF expression may not be empty.

- The result marker looks like this: `<!marker!>`
- Using a Restricted match marker as the first token in an UDC was not allowed before. This has been fixed. You can now write a rule like this, which will output the keyword (SCATTER, GATHER or COPY) followed by the stringified list of options.

```
#command <cmd:SCATTER,GATHER,COPY> <*clauses*> => ? <"cmd">, <"clauses">
FUNCTION Start AS VOID
    SCATTER TO TEST // is preprocessed into ? "SCATTER" , "TO TEST"
RETURN
```

### Visual Studio Integration

#### Bug Fixes

- Fixed a problem introduced in 2.9.0.2 with code generation for WPF projects (#820)
- Fixed a VS freezing problem after building (#819)
- Fixed some problems with code collapsing and the navigation bar for source files that contains a SELF property (#825)
- Fixed a problem with the form designer emitting invalid code when the form prg contains nested

classes (#828)

- Fixed a problem with code completion showing the wrong members when opened just left to a closing paren (#826)
- Fixed a VS crash when clicking on a generic class (#827)
- Fixed a problem with the keyword colorization for expressions such as `SET CENTURY &cOn`, where `&cOn` was colored in the keyword color.
- Parameter tips for nested function calls required an extra space before the name of the nested function (#728)
- Fixed a problem with the form designer deleting delegates and other nested types in the form.prg (#828)
- The background process to load the types in the ClassView / ObjectView windows was slowing down the VS performance. This has been disabled for now.
- Fixed type lookup for Generic types.
- Hovering the mouse over a constructor keyword was showing a tooltip for the class and not for the constructor. This has been fixed.
- Fixed an issue in the code generator for Windows Forms for literal characters with special values (such as `'\0'`) (#859)
- Fixed an exception in the project system when the project system was initialized in the background (for example when no X# projects were opened) (#852)
- Fixed missing code completion for the LONGINT and SHORTINT keywords (#850)
- The context menu option "View in Disassembler" is now only shown for X# projects
- Fixed code generator problem with ARRAY OF <type> (#842)
- Fixed a performance problem when clicking on code in the editor (#829)
- Fixed a problem with loading Windows Forms when the lookup of a nested type failed.

## New features

- We have added a context item to the project context menu in the solution explorer to edit the project file. This will unload the project when needed and then open the file for editing.
- The Rebuild Intellisense Database menu option in the Tools/XSharp menu now unloads the current solution, deletes the intellisense database and reopens the solution to make sure that the database is recreated correctly.
- We have made some changes to the process that parses the source code for a solution in the background.
- Generic Typenames are now stored in the Name`n format in the Intellisense database, for example `IList`1` for `IList<T>`

## Runtime

### New features

- Added missing `ErrorExec()` function (#830)
- Added support for `BlobDirectExport`, `BlobDirectImport`, `BlobDirectPut` and `BlobDirectGet` (#832)
- When you do a numeric operation on two USUALs of different types we now make sure that decimal values are no longer lost (#808). For example a `LONG + DECIMAL` will result in a `DECIMAL`. See the table in the USUAL type page in this help file for the possible return values when mixed types are used.

### Bug Fixes

- Fixed a problem with `_PrivateCount()` throwing an `InvalidOperationExpection` (#801)

- Fixed a problem with member completion in the editor sometimes showing methods of the wrong type (#740)
- Fixed some problems with the ACopy() function (#815)
- Fixed a few issues that were remaining related to DATEs in VOSTRUCTs (#773)

## Macro compiler

### New features

- Added support for the & operator (#835).
- Added support for parameters by reference (both @ and REF are supported) for late bound method calls (#818)

## VOXporter

### Bug Fixes

- Fixed problem with incorrectly prefixing PUBLIC declarations with "@@"

## Changes in 2.9.0.2 (Cahors)

## Compiler

### New features

- The parser now supports class variable declarations and global declarations with multiple types(#709)
 

```
EXPORT var1 AS STRING, var2, var3 AS LONG
GLOBAL globalvar1 AS STRING, globalvar2, globalvar3 AS LONG
```
- If you are using our parser you should be aware that the ClassVarList rule has disappeared and that the ClassVars, VoGlobal and ClassVar rules have changed.
- We have added a command to fill a foxpro array with a single value
 

```
STORE <value> TO ARRAY <arrayName>
```
- When you create a VOSTRUCT or UNION that contains a DATE field, then the compiler will now use the new \_\_WinDate structure that is binary compatible with how DATE values are stored inside a VOSTRUCT or UNION in Visual Objects (#773)
- It is now possible to use parentheses for (instead of brackets) accessing ARRAY elements in the FoxPro dialect. The compiler option /fox2 must be enabled for that to work (#746).
- We have added support (for the FoxPro dialect only) for accessing WITH block expressions inside code of a calling function / method. So you can type .SomeProperty and access the property that belongs to a WITH BLOCK expression inside the calling code. To use this Late Binding must be enabled, since the compiler does not know the type of the expression from the calling code (#811).

### Bug fixes

- When you use the NEW or OVERRIDE modifier for a method where no (virtual) method in a parent class exists an error will now be generated (#586, #777)
- Fixed a problem with LOGICAL AND and OR for USUAL variables in an array (#597)
- Error messages and Warnings for some compiler generated code (such as Late bound code) were not always pointing to the right line number, but to the first line in the body of the method or function. This has been fixed. (#603)
- Fixed a problem incorrect return values for IIF expressions (#606)
- Fixed a problem in the compiler when parsing multiple method names on a DECLARE METHOD line (#708)
- Fixed a problem in the FoxPro dialect with assigning a single value to an array to fill the array (#720)



- Fixed a problem with the calculation of VOSTRUCT sizes when the structure contained a member of type DATE (734)
- The previous problem caused runtime errors (#735)
- Fixed a problem in code like this (#736)  

```
var aLen := ALen(Aarray)
```
- Fixed a compiler crash when overriding CLIPPER method with STRICT for methods with typed return value (#761)
- When the interface implementation had different casing then the definition then an incorrect error message was shown (#765)
- Fixed a compiler crash with incorrect function parameters inside a codeblock (#759)
- Recursive definitions of DEFINES could result in an infinite loop inside the compiler causing a StackOverflowException(#755)
- Fixed a problem with late bound calls and OUT parameters (#771)
- If you compile with warning level 4 or lower then certain warnings for comparing value types to null are not shown. We have changed the default warning level to 5 now. (#772)
- Fixed a compiler crash with multiple PRIVATE &cVarName statements in the same entity (#780)
- Fixed a problem with possibly corrupting the USUAL NIL value when passing USUAL params by reference (#784)
- Fixed a problem with declared PUBLIC variables getting created as PRIVATE in the FoxPro dialect (#753)
- Fixed a problem with using typed defines as default arguments (#718)
- Fixed a problem with typed DEFINES that could produce constants of the wrong type (#705)
- Fixed a problem with removing whitespace from #warning and #error directive texts (#798)

## Runtime

### New Features

- We have added several strongly typed overloads for the Empty() function that should result in a bit better performance (#669)
- We have added an event handler to the RuntimeState class. This event handler is called "StateChanged" and expected a method with the following signature:  

```
Method MyStateChangedEventHandler(e AS StateChangedEventArgs) AS VOID
```
- The StateChangedEventArgs type has properties for the Setting Enum, the OldValue and the NewValue.
- You can use this if you have to synchronize the state between the X# runtime and an external app, for example a Vulcan App, VO App or for example (this is where we are using it) with an external database server, such as Advantage.
- We have added a new (internal) type \_\_WinDate that is used when you store a DATE value into a VoStruct or Union. This field is binary compatible with the Julian date that VO stores inside structures and unions.
- We have added an entry to the RuntimeState in which the compiler stores the current /fox2 compiler setting for the main app.
- Added runtime support to support filling FoxPro arrays by assigning a single value.

### Bug Fixes

- Fixed a problem (incompatibility with VO) in the Descend() function (#779) - IMPORTANT NOTE: If you are using Descend() in dbf index expressions, then those indexes need to be reindexed!
- Late bound code that was returning a PSZ value was not correctly storing that inside a USUAL (#603)
- Fixed a problem in the Cached IO that could cause problems with low level file IO (#724)

- The VODbAlias() function now returns String.Empty and not NULL when called on an area where no table is open. (#733)
- Fixed a compatibility problem with the MExec() function (#737)
- The M-> prefix was not recognized correctly inside codeblocks (#738)
- The Explicit DATE -> DWORD cast was returning an incorrect value for NULL\_DATE.
- Fixed a problem with late bound calls and OUT parameters (#771)
- Added a new \_\_WinDate type that is used to store DATE values inside a VOSTRUCT or UNION. (#773)
- Fixed several problems with FoxPro arrays
- Removed TypeConstraints on T for functions that manipulate \_\_ArrayBase<T>
- Fixed a problem with Directory() including files that match by shortname but not by longname (#800)

## RDDs

- When creating a new DBF with the DBFCDX driver an existing CDX file is not automatically deleted anymore (#603)
- Fixed a problem with updating memo contents in DBFCDX (#782)
- Fixed a runtime exception when creating DBFCDX index files with long filenames (#774)
- Fixed a problem with with DBSeek() with active OrderDescend() finding even deleted records
- Fixed a problem with a missing call to AdsClearCallbackFunction() in the ADS RDD in OrderCreate() (#794)
- Fixed a problem with VODBOrdCreate function failing if the cOrder parameter contains an empty string (#809)

## Macro compiler

- Fixed a problem in the Preprocessor
- Added support for parameters passed by reference with the @ operator
- Added support for M->, \_MEMVAR-> and MEMVAR-> prefixes in the macro compiler
- When the Macro compiler finds 2 or more functions with the same name it now uses the same precedence rules that the compiler uses:
  - Functions in User Code are used first
  - Functions in the "Specific" runtimes (XSharp.VO, XSharp.XPP, XSharp.VFP, XSharp.Data) take precedence over the ones inside XSharp.RT and XSharp.Core
  - Functions in XSharp.RT take precedence over functions inside XSharp.Core

## Visual Studio Integration

- In this build we have started to use the "Community toolkit for Visual Studio extensions" that you can find on GitHub. This toolkit contains "best practices" for code for VS Extension writers, like we are. As a result more code is now running asynchronously which should result in better performance.
- We have also started to remove 32 bit specific code that would become a problem when migrating to VS 2022 which is a 64 bits version of Visual Studio that is expected to ship in November 2021.

## New features

- Added several new features to the editor
- The editor can now show divider lines between entities. You can enable/disable this in the options dialog (#280)
- Keyword inside QuickInfo tooltips are now colored (#748)
- Goto definition now also works on "external" types. The editor generates a temporary file that contains the type information for the external type. In the options dialog you can also control if the

generated code should contain comments (as read from the XML file that comes with an external DLL). (#763)

- You can control which keyword is used for PUBLIC visibility from the Tools/Options menu entry (PUBLIC, EXPORT or No modifier at all)
- You can control which keyword is used for PRIVATE visibility from the Tools/Options menu entry (PRIVATE or HIDDEN).
- The various code generators inside VS now follow the capitalization rules from the source code editor.
- The intellisense database now has views that return the unique namespaces in the source code and in the external assemblies
- The X# specific menu points in the Tools menu have been moved to a separate submenu.
- Added option for the WinForms designer to generate backup (.bak) files of form.prg and form.designer.prg files when saving (#799)

## Bug Fixes

- Fixed several problems in the editor:
  - We have made several improvements to increase the speed inside the editor (#689, #701)
  - Fixed a problem in the type lookup of variables for FOREACH loops (#697)
  - Parameter tips were not shown for methods selected from a completion list (#706)
  - Keyword case synchronization did not work when the keyword was not followed by a space (#722)
  - Goto definition always went to line 1 / column 1 in the file where a function was defined (#726)
  - Code completion for Constant members of classes (#727)
  - Parameter tips for nested function calls required an extra space before the name of the nested function (#728)
  - QuickInfo for DEFINES (#730, #739)
  - VOSTRUCT Member completion with the '.' operator (#731)
  - The ENUM and FUNC keywords are now recognized as identifier and not case synchronized in these cases. (#732)
  - Fixed a problem when opening files (#742)
  - Fixed parameter tip display for default values NULL, NULL\_DATE and NULL\_OBJECT (#743)
  - Fixes broken parameter tips for constructors (#744)
  - Nested classes were not always handled correctly by the intellisense (#745)
  - Fixed a problem in the type lookup of variables declared with ARRAY OF <something> (#749)
  - The Editor could sometimes "freeze" when the buffer contained invalid code (#751)
- The code generator for Windows Forms was replacing tab characters with spaces. This has been fixed. (#438)
- Fixed a problem with the Form Designer corrupting code that contains EXPORT ARRAY OF <type>
- Fixed a problem with the Form Designer that when removing an event handler in the editor, some code was deleted (#812)
- Fixed a problem with the Form Designer converting EXPORT, INSTANCE and HIDDEN keywords to PUBLIC and PRIVATE (#802)

## VO-Compatible Editors

- Now all VO-compatible editors support full Undo/Redo functionality. Also added cut/copy/paste functionality to the Menu editor
- Fixed several visual problems with VOWED controls in Design and Test mode (#741)
- Fixed a VS crash when Alt-Tabbing out of the editors, with the Properties window having focus (#764)
- Adjusted ComboBoxEx controls to have the same fixed height, as in VO. Also allowed the previous

behavior, when the user has manually increased the height by more than 50 pixels, then this height is being used instead (#750)

- Added a bitmap thumbnail for the "Button Bmp" property of the Menu Editor in the Properties Window
- Added support for specifying a Ribbon in the Menu Editor. The ribbon (bitmap) to be used needs to be specified as a filename in the properties of the Menu's main item (#714)
- Fixed some issues with event code generation in the Window Editor (#441, #46)

## Changes in 2.8.3.15 (Cahors)

### Compiler

#### New features

- You can now use the .AND. logical operator and .OR. logical operator between variable names or numbers without leading or trailing whitespace (a.AND.b)
- The PRIVATE declaration in the FoxPro dialect no longer allows an initializer.
- Added support for the FoxPro NULL date ( { / / }, { - - } and { . . }) in the FoxPro dialect

#### Bug fixes

- Fixed a problem with a DIM array that uses a DEFINE for its dimension (#638)
- Fixed a problem with the FoxPro PUBLIC ARRAY command (The ARRAY keyword is no longer mandatory) (#662).
- Fixed a problem with DEFAULT(Usual) expressions as parameters for function / method calls (#664)
- Fixed a problem with variables declared with the LOCAL declaration and dimensioned with the DIMENSION command (#683)
- Fixed issue with overloads with the same name in different X# runtime assemblies that manifested itself with problems with FRead()(#686)
- Fixed a problem with passing PRIVATE and PUBLIC memory variables by reference (#691)
- Fixed a problem with PARAMETERS statement (#691)
- Fixed a problem with real numbers (#704) that was caused by the change in handling of .AND. and .OR.
- Fixed a problem parsing the DECLARE METHOD / ACCESS / ASSIGN lines inside class declarations.
- Fixed a problem with truncating results for binary operators (+, -, \*, /) for mixed integral types (e.g. int and word)

### Runtime

- The \_shutdown flag in the Runtime State is now set when the system shuts down.
- Fixed a problem with the FoxPro ALen() function (#650)
- Added default values on several locations (#678)
- Fixed a problem where FRead() on a file opened by an RDD would go into an endless loop (#688)
- Fixed a problem with FieldGet() when the file is at EOF (#698)
- Fixed a scope problem when the scope was empty and a record matching the scope was added in another workarea or by another workstation (#699)
- Fixed a problem with the BOF setting after a Skip(0) (#700)

### MacroCompiler

#### New features

- You can now use the .AND. operator between variable names or numbers without leading or trailing

whitespace

- Added support for the FoxPro NULL date ( { / / }, { - - } and { . . }) in the FoxPro dialect
- Strings containing .AND. and .OR. are no longer reformatted by the macro compiler (#694)
- We have added an experimental new faster script compiler. This script compiler allows to compile statements, so no functions, classes etc.

This new script compiler is much faster than the existing script compiler and uses a lot less memory. To call this script compiler use the new function ExecScriptFast() which has the same parameters as ExecScript().

You can compile multiline scripts. The compiler should recognize all statements including PARAMETERS and LPARAMETERS to receive parameters.

If you are using scripts in your code we would love to hear feedback.

An example of code that should work:

```
FUNCTION Start() AS VOID
LOCAL ctest AS STRING
TRY
    cTest := "? 'Hello world'"
    ExecScriptFast(cTest)
    cTest :=String.Join(e"\n",<STRING>{;
        "PARAMETERS a,b,c",;
        "RETURN CallMe(a,b,c)"}
    ? ExecScriptFast(cTest,1,2,3)
    cTest :=String.Join(e"\n",<STRING>{;
        "LPARAMETERS a,b,c",;
        "RETURN CallMe(a,b,c)"}
    ? ExecScriptFast(cTest,1,2,3)

CATCH e AS Exception
    ? e.ToString()
END TRY

wait
RETURN

FUNCTION CallMe(a,b,c) AS USUAL
    ? "Inside function, parameters received",a,b,c
RETURN a+b+c
```

Please test this new functionality and let us know what you think of it.

## Visual Studio Integration

### New features

- "Highlight word" now highlights words in the whole file when the cursor is outside of an entity (for example on the USING statements in the start of the file).

### Bug Fixes

- Fixed a problem with displaying names of custom controls in the toolbox of the VO compatible Windows Editor
- Fixed a problem with extra spaces when loading settings from cavowed.inf for the VO compatible Windows Editor
- Fixed a problem with an incorrect completion list after an assignment statement (#658)

- Fixed an exception in the editor after deleting code (#674)
- Fixed a "freeze" problem in the VS IDE when attaching a file to the shell window (#676)
- Fixed a problem when using dot instead of colon in VO Dialect with AllowDot (#679)
- Fixed a problem with showing a completion list inside class (#685)
- Fixed a performance problem in the editor (#689)
- Fixed a problem with showing function overloads in the editor (#692)
- Fixed a problem with intellisense after a !, .NOT. or other operator (#693)
- Fixed a problem where the incorrect methods were shown in the completion list (#695)

## Tools

- Fixed an issue in VOXPorter with resources and the copying to the Resources subfolder

## Changes in 2.8.2.13 (Cahors)

### Compiler

- Fixed issues with interpolated strings (#598, #622):
- Fixed issues with extension methods that were not marked as STATIC (#660)
- Fixed problem with IIF() expressions that returned an OBJECT and were assigned to a Decimal
- The pragma commands were not checking for the current dialect
- Fixed an exception in the preprocessor
- The FoxPro LOCAL ARRAY was not generating a LOCAL variable but a PRIVATE variable.
- Functions in XSharp.RT that are overridden in XSharp.VO, XSharp.VFP or XSharp.RT will no longer generate a warning. The version that is not in XSharp.RT will have preference
- Enumerating a USUAL variable in a FOREACH loop will now call a runtime function that returns the ARRAY inside the USUAL or throws an error otherwise
- Implicit conversions from OBJECT -> NUMERIC are now supported when /vo7 is enabled.

### Runtime

- Enumerating a USUAL variable in a FOREACH loop will now call a runtime function that returns the ARRAY inside the USUAL or throws an error otherwise (#246)
- Fixed a problem creating index with an Eval block and 0 records (#619)
- Fixed an incompatibility with the ALen() function and array handling compared to FoxPro (#642)
- We have fixed some issues in FoxPro AIns() function (#650)
- We have added a ShowFoxArray() function that will be automatically called when you call ShowArray() on a FoxPro array (650)
- Added support for OClone()
- The \_Quit() function now closes all databases and then kills the current running process (#665)
- Fixed a problem with DbOrderInfo (#666)
- Fixed a problem with the unary minus operator for currency values (#670)
- Fixed a problem in the Integer function when a Currency value was sent in (#671)
- We have added an implementation of MemCheckPtr() (#677)

### Macro compiler

- Fixed a problem calling functions after a new assembly was loaded with Assembly.Load()

- Added support for passing variables by references (not yet for functions with Clipper calling convention) (#653)

## VO SDK

- Fixed a problem in GetObjectByHandle() in the GUI Classes(#677)

## Visual Studio Integration

- Fixed an exception on the Build Options page inside VS (#654)
- The project system did not write back the right property for the XML documentation generation (#654)
- Intellisense could crash in header files (#657)
- We have added #defines and user defined commands (#command, #translate) to the members combobox in the editor as members of the global type. You can now also do a Goto definition on a value defined with #define.
- We have fixed a problem with member completion for enums (656)
- We have fixed a problem with the Windows Forms Editor that could happen if another VS extension had loaded an older version of Mono.Cecil (#661)
- Code completion was not showing instance members when the project option "Allow dot" was enables (#679)
- The "header" new item template had a .VH extension. This has been changed to .XH
- Fix a crash in the VO Compatible windows editor that happened with an incorrect CAVOWED.INF
- Code completion inside parentheses for a method or function call was not working correctly
- Improved Build Speed in Visual Studio when no files are changed (#675)

## Tools

- VO Xporter was generating 2 lines in the .xsproj file for the output folder (#672)

## Changes in 2.8.1.12 (Cahors)

### Compiler

- Fixed issues with interpolated strings (#598, #622):
  - The script compiler now correctly sets the AllowDot compiler option from the current active dialect in the runtime (Core & FoxPro: AllowDot = true)
  - When compiling with DOT(.) as instance method separator then the ":" character is used inside interpolated strings to prefix the format string.
  - When compiling with COLON (:) as instance method separator then the colon can not be used to separate expressions from the format string inside interpolated strings. In that case we now support a double colon (::) between the expression and the format string. For example
 

```
LOCAL num as LONG
num := 42
? i"num = {num::F2}" // this diplays num with 2 decimals
WAIT
```
- You can now use DATE fields inside VOSTRUCT and UNION (#595)
- Fixed an assertion error 'UnconvertedConditionalOperator' (#616)
- Fixed an assertion error in the compiler when the namespace "xsharp" is used (#618)
- Fixed an "failed to emit" problem for methods defined in COM assemblies with default arguments and arguments passed by reference (#626)

- Fixed a problem with the handling of default parameters and method calls (#629)
- Fixed a problem where the `_SizeOf()` operator was not calculating the right size for a `VOSTRUCT` (#635).
- Please note that `_SizeOf()` can only be calculated at compile time when your application is compiled for x86 or x64 mode. When compiling for `AnyCpu` we will be calculating `_SizeOf()` at runtime.
- Fixed a problem where the "IS Pattern" was not always working correctly for variables of type `USUAL` (#636)

## Runtime

- Implemented the `FoxPro Evl()` function (#389)
- `DbCloseArea()` was returning `TRUE` even when no area was open. This was incompatible with `VO`. We are returning `FALSE` now. (#611)
- Macro compiler was not able to find functions in assemblies that were loaded dynamically (#607)
- When a `DBF` file was opened "readonly" and then an index was created, then a runtime error would happen when the file was closed, because the `RDD` was trying to set the "production index" flag in the `DBF` header. This flag is no longer set for files that are opened "readonly" (#610)
- Fixed an exception (that was caught) inside `DbOrderInfo(DBOI_KEYCOUND)` (#613)
- Fixed a problem with the `Workareas` debug window (#625)
- `DbOrderInfo()` was returning incorrect values when an index was not available (#627)
- Fixed a problem with `Transform()` and symbol arguments (#628)
- Fixed a problem with the `StrZero` function (#637)
- Fixed a problem with the `AElement()` function (#639)

## RDD System

- Fixed a problem with indexes on workareas/cursors created with the `SqlExec()` function when the index expression contained "nullable" fields (#630)

## Macro compiler

- The macro compiler had problems finding functions that were inside an assembly that was loaded later (#607)

## Visual Studio integration

- Fix problem with saving dialect from General Page
- Quick info and Goto definition were not working for members inside the same class when they were not prefixed with `SELF`:
- Fix code completion for nullable types with the '?' syntax (#567)
- Methods combobox was not correctly synchronized (#602)
- Todo comments were not always parsed correctly, They were also included when they were part of another word or when they were not the first word on the line. This has been fixed. (#617)
- Fix problem that "warnings as errors" was not saved from the Build properties page (#621)
- Fix problems that would start occurring after editor window was split (#641)
- After selecting a member of type "Assign" from the completion list the editor was incorrectly inserting a '(' character (#643)
- Typing '(' on the declaration line of an entity (function, method) would trigger parameter completion. This has been fixed. (#643)
- Parameter tips were not shown for Constructor calls (#645)



- Completion list was incorrectly including static members (#646)
- QuickInfo for external types was not including "AS Type" for the parameters (#647)
- Fixed a problem when resolving parser options for a project that was not yet completely loaded (#649)
- Local variables were not always recognized with their correct type in the editor (#651)

## Installer

- The installer was adding an incorrect version of XSharp.CodeAnalysis.dll to the Global Assembly Cache. This has been fixed.